

# Advances in Battery Technology for Electric Vehicles

## Table of Contents

A Report by **NexantThinking™**

Process Evaluation/Research Planning (PERP) Program

PERP Report 2017S9 – Published October 2017

[www.nexantthinking.com](http://www.nexantthinking.com)

Section	Page
1 Executive Summary .....	1
1.1 INTRODUCTION.....	1
1.2 CURRENT STATUS.....	2
1.2.1 Global Fleet .....	2
1.2.2 Grid Integration.....	4
1.3 ELECTRICITY .....	5
1.4 KEY SUCCESS FACTORS.....	6
1.5 RECHARGEABLE BATTERY TYPES .....	7
1.5.1 Lead Acid Batteries .....	7
1.5.2 Lithium-ion Batteries.....	8
1.5.3 Nickel Batteries .....	8
1.5.4 Summary .....	9
1.6 EMERGING TECHNOLOGY .....	10
1.7 BATTERY CONFIGURATIONS .....	10
1.7.1 Battery Design Limitations .....	12
1.8 ECONOMICS .....	13
1.8.1 Cell versus Pack.....	13
1.8.2 Manufacturing Scale.....	15
1.8.3 Investment Timeline .....	18
1.9 NON-ECONOMICS .....	21
1.9.1 Life Cycle Analysis (LCA).....	21
2 Introduction .....	27
2.1 BACKGROUND.....	27

2.2	HISTORICAL PERSPECTIVE .....	28
2.2.1	Key Policies .....	34
2.2.2	Key Milestones .....	34
2.3	CURRENT STATUS.....	37
2.3.1	Global Fleet .....	37
2.3.2	Grid Integration.....	39
2.3.3	Rechargeable Battery Types.....	40
2.4	KEY SUCCESS FACTORS.....	45
3	Battery Technology .....	46
3.1	INTRODUCTION.....	46
3.2	ELECTRICITY .....	46
3.3	ELECTRODES .....	47
3.4	CURRENT COLLECTORS .....	49
3.4.1	Electrical Conductivity .....	49
3.4.2	Electric Potential.....	49
3.5	SEPARATOR .....	50
3.6	ELECTROLYTE .....	51
3.7	CHEMISTRY .....	51
3.7.1	Lead Acid .....	51
3.7.2	Nickel Metal.....	52
3.7.3	Lithium-ion .....	53
3.8	LEAD ACID .....	54
3.8.1	Wet or "Flooded" .....	54
3.8.2	Valve Regulated Lead Acid (VRLA) .....	54
3.9	NICKEL-METAL .....	55
3.10	LITHIUM-ION .....	56
3.10.1	Cathodes .....	57
3.10.2	Anodes .....	60
3.10.3	Electrolyte.....	60
3.10.4	Battery Configurations.....	61
3.10.5	Safety .....	65
4	Commercial Technology.....	69
4.1	LEAD ACID .....	69
4.1.1	Flooded Lead Acid Batteries .....	69
4.1.2	VRLA .....	71

4.2	LITHIUM-ION .....	71
4.2.1	Panasonic/Tesla.....	74
4.2.2	LG Chem/Umicore.....	76
4.2.3	BYD .....	78
4.3	NICKEL-METAL .....	79
5	Emerging Technology .....	80
5.1	OVERVIEW .....	80
5.1.1	Solid State Lithium-ion .....	80
5.1.2	Lithium-air.....	80
5.1.3	Anode Conversion Materials .....	81
6	Commercial Market .....	82
6.1	INTRODUCTION.....	82
6.2	MAJOR MARKETS .....	82
6.2.1	China .....	82
6.2.2	The United States.....	83
6.2.3	Norway .....	83
6.3	TARGETS .....	84
6.4	PROJECTIONS.....	85
7	Economics .....	87
7.1	INTRODUCTION.....	87
7.2	BATTERY CHEMISTRY.....	88
7.3	CELL VERSUS PACK.....	89
7.4	MANUFACTURING SCALE .....	91
7.4.1	Investment Cost .....	91
7.5	INVESTMENT TIMELINE.....	94
7.5.1	Scenarios .....	94
7.5.2	Conclusions .....	94
8	Non-Economic Analysis .....	97
8.1	LIFE CYCLE ANALYSIS (LCA).....	97
8.2	DESIGN LIMITATIONS .....	103
9	References .....	105
<b>Appendix</b>		<b>Page</b>
A	PERP Program Title Index (2007-2017) .....	A-1

Figure	Page
1.1 Electric Vehicle Fleet versus Total Passenger Vehicle Fleet.....	2
1.2 Electric Vehicles by Region .....	3
1.3 Publicly Available EV Charging Point Worldwide.....	4
1.4 Filling/Charging Stations (Public Facilities Only) Relative to Passenger Vehicles, 2015 .....	4
1.5 Vehicle Battery Key Success Factors .....	6
1.6 Typical Rechargeable Battery Types .....	7
1.7 Lead Acid Battery End-Use Application .....	8
1.8 Lithium-ion Battery End-Use Application, 2016.....	8
1.9 Battery Cell, Modules, and Packs .....	10
1.10 Battery Pack Cost Breakdown against Designed Range (Miles) .....	13
1.11 Battery Pack Cost by Cathode Chemistry.....	14
1.12 Adjusted Battery Investment and Production Cost against Manufacturing Scale (Design Range of 300 Miles; 90 kWh; NCA Cathode) .....	16
1.13 Adjusted Battery Investment and Production Cost against Manufacturing Scale (Design Range of 150 Miles; 45 kWh; NMC 333 Cathode) .....	16
1.14 Adjusted Battery Investment and Production Cost against Manufacturing Scale .....	17
1.15 Global Electric Vehicle Fleet Projections .....	19
1.16 EV Fleet Projected Increase – Every 5 Years to 2030.....	19
1.17 Required Investment Levels Every 5 Years Based on Scenario 3 .....	20
1.18 Typical Well-to-Wheel Analysis .....	21
1.19 Electricity Generation by Fuel Source, 2014.....	24
1.20 Cumulative Carbon Dioxide Emissions by Distance Travelled .....	24
1.21 Cumulative Carbon Dioxide Emissions by Distance Travelled (HEV against ICE).....	26
2.1 Net Energy Value (Thermal Output) by Fuel Source .....	31
2.2 Global Greenhouse Gas Emissions by Sector .....	34
2.3 Electric Vehicle Battery Pack Cost.....	35
2.4 Electric Vehicle Fleet versus Total Passenger Vehicle Fleet.....	37
2.5 Electric Vehicles by Region .....	38
2.6 Publicly Available EV Charging Point Worldwide.....	39
2.7 Filling/Charging Stations (Public Facilities Only) Relative to Passenger Vehicles, 2015 .....	39
2.8 Typical Rechargeable Battery Types .....	41
2.9 Lead Acid Battery End-Use Application .....	42
2.10 Lead Acid Battery Suppliers .....	42
2.11 Lithium-ion Battery End-Use Application, 2016.....	43
2.12 Lithium-ion Battery Suppliers for BEVs (Including Buses), 2016 .....	43
2.13 Vehicle Battery Key Success Factors .....	45
3.1 Electric Current Flow of a Battery Cell in an Electric Circuit .....	47
3.2 Illustrative Diagram of a Rechargeable Lithium-ion Electrochemical Cell .....	48
3.3 Lead Acid Battery Chemistry .....	52
3.4 Lead Acid Battery Charge/Discharge States.....	52
3.5 NiMH Battery Chemistry.....	52

3.6	NiMH Battery Charge/Discharge States.....	52
3.7	Lithium-ion Battery Chemistry .....	53
3.8	Lithium-ion Battery Charge/Discharge States .....	53
3.9	Battery Cell, Modules, and Packs .....	62
3.10	Issues in Samsung's Galaxy Note 7 Battery.....	65
3.11	Battery Life Value Chain.....	66
3.12	Lithium-ion Cathodes Market Share (EV and Non-EV Market), 2016.....	67
3.13	Voltage Versus Capacity for Anode and Cathode.....	68
4.1	Plate Group or Cell.....	69
4.2	Battery Manufacture .....	70
4.3	Battery Manufacture – Cylinder.....	72
4.4	Battery Type Configuration Shapes – Coiling and Folding .....	73
4.5	Battery Type Configuration Shapes – Stacking .....	73
4.6	Tesla Cooling System of Model S Battery Module.....	75
4.7	Cross-Sectional View of Cooling System .....	76
4.8	Cells Made by Folding Process – Conventional.....	77
4.9	Cells Made by Stack and Fold Process – LG Chem.....	77
4.10	Battery Performance after 500 Cycles .....	77
6.1	Global Electric Vehicle Fleet Projections .....	85
6.2	Projected Global Passenger Vehicle Fleet Composition .....	86
7.1	Cost Share of Lithium-ion Battery Pack Components against Designed Range .....	88
7.2	Secondary Raw Material Prices .....	88
7.3	Battery Pack Cost Breakdown Against Designed Range .....	89
7.4	Battery Pack Cost by Cathode Chemistry.....	89
7.5	Adjusted Battery Investment and Production Cost Against Manufacturing Scale (Design Range of 300 Miles; 90 kWh; NCA Cathode) .....	92
7.6	Adjusted Battery Investment and Production Cost Against Manufacturing Scale (Design Range of 150 Miles; 45 kWh; NMC 333 Cathode) .....	92
7.7	Adjusted Battery Investment and Production Cost Against Manufacturing Scale (Design Range of 200 Miles; 60 kWh; NMC 333 Cathode) .....	93
7.8	Global Electric Vehicle Fleet Projections .....	95
7.9	EV Fleet Projected Increase – Every 5 Years to 2030.....	95
7.10	Required Investment Levels Every 5 Years Based on Scenario 3 .....	96
8.1	Typical Well-to-wheel Analysis.....	97
8.2	Electricity Generation by Fuel Source, 2014.....	100
8.3	Cumulative Carbon Dioxide Emissions by Distance Travelled (BEV against ICE).....	100
8.4	Cumulative Carbon Dioxide Emissions by Distance Travelled (HEV against ICE).....	102
8.5	Current Battery Configuration of Select EVs against Vehicle Range Design (Miles) .....	104

<b>Table</b>	<b>Page</b>
1.1 Key Electricity Terminology .....	5
1.2 Property Overview of Key Rechargeable Battery Types.....	9
1.3 Battery Type Key Parameters .....	11
1.4 Factors that Influence Battery Pack Rating.....	12
1.5 Investment Costs against Design Battery Rating.....	15
1.6 Investment Scenarios for Battery Manufacturing Plants .....	18
1.7 Carbon Dioxide Emissions by Fuel Source – ICE Engines.....	22
1.8 Carbon Dioxide Emissions by Fuel Source – ICE Engines.....	23
1.9 Carbon Dioxide Emissions Reduction – BEV versus ICE .....	25
1.10 Carbon Dioxide Emissions from HEVs.....	25
1.11 Carbon Dioxide Emissions Reduction – HEV versus ICE .....	26
2.1 Key Event Timeline – The Rise of EVs .....	29
2.2 Key Event Timeline – Demise of EVs .....	30
2.3 Early 1900s Vehicle Comparison .....	30
2.4 Select Early 1970s Vehicle Comparison .....	32
2.5 Key Event Timeline – Re-emergence of EVs.....	33
2.6 Select Vehicle (2017 Models) Comparison .....	36
2.7 Property Overview of Key Rechargeable Battery Types.....	44
3.1 Key Electricity Terminology .....	46
3.2 Electrical Conductivity Properties of Select Materials .....	49
3.3 Typical Properties of Select Commercial Separators .....	50
3.4 General Requirements for Lithium-ion Battery Separator .....	50
3.5 Lithium-ion Based Cathode Under Research.....	59
3.6 Battery Type Key Parameters .....	63
3.7 Factors that Influence Battery Pack Rating.....	64
3.8 Lithium Cathode Comparison .....	68
6.1 Electric Vehicle Deployment Target by Country.....	84
6.2 Targets Announced by OEMs .....	85
7.1 Battery Rating Design and Vehicle Range Design .....	87
7.2 Investment Costs against Design Battery Rating.....	91
7.3 Investment Scenarios for Battery Manufacturing Plants .....	94
8.1 Carbon Dioxide Emissions by Fuel Source – ICE Engines.....	98
8.2 Carbon Dioxide Emissions by Fuel Source – ICE Engines.....	99
8.3 Carbon Dioxide Emissions Reduction – BEV versus ICE .....	101
8.4 Carbon Dioxide Emissions from HEVs.....	101
8.5 Carbon Dioxide Emissions Reduction – HEV versus ICE .....	102
8.6 Battery Configuration and Specification of Select EVs .....	103

# Nexant Thinking™

## Process Evaluation/Research Planning



The NexantThinking™ Process Evaluation/Research Planning (PERP) program is recognized globally as the industry standard source for information relevant to the chemical process and refining industries. PERP reports are available as a subscription program or on a single report basis.

### Contact Details:

#### **Americas:**

Marcos Nogueira Cesar, Vice President, Global Products, E&CA: Nexant Thinking™  
Phone: + 1-914-609-0324, e-mail: mcesar@nexant.com

Erica Hill, Client Services Coordinator, E&CA-Products  
Phone: + 1-914-609-0386, e-mail: ehill@nexant.com

#### **EMEA:**

Anna Ibbotson, Director, NexantThinking  
Phone: +44-207-950-1528, aibbotson@nexant.com

#### **Asia:**

Chommanad Thammanayakatip, Managing Consultant, Energy & Chemicals Advisory  
Phone: +66-2793-4606, email: chommanadt@nexant.com

Nexant, Inc. ([www.nexant.com](http://www.nexant.com)) is a leading management consultancy to the global energy, chemical, and related industries. For over 38 years, Nexant has helped clients increase business value through assistance in all aspects of business strategy, including business intelligence, project feasibility and implementation, operational improvement, portfolio planning, and growth through M&A activities. Nexant has its main offices in San Francisco (California), White Plains (New York), and London (UK), and satellite offices worldwide.

Copyright © by Nexant Inc. 2017. All Rights Reserved.