

**TECHNOLOGY & COSTS****Technoeconomics - Energy & Chemicals (TECH)****TECH 2020S4 Melamine**

## Table of Contents

A Report by **NexantECA, Inc.**

Published Date: November 2020

[www.nexanteca.com/subscriptions-and-reports](http://www.nexanteca.com/subscriptions-and-reports)**Contents**

1	Executive Summary .....	1
2	Business Overview .....	4
2.1	Introduction.....	4
2.2	Market Overview .....	4
2.3	Melamine Value Chain .....	5
2.4	Historical Development .....	6
2.5	Barriers to Entry .....	8
2.5.1	Product Perception.....	9
2.5.2	Melamine SWOT Analysis .....	10
2.6	Handling and Storage.....	10
2.7	Properties and Hazards.....	11
2.7.1	Key Characteristics .....	11
2.7.2	Grades.....	12
2.7.3	Thermal Behavior .....	12
2.7.4	Health Hazards and Toxicology .....	13
2.8	Regulation and Trade .....	14
2.8.1	Regulatory Developments .....	14
2.8.2	Imposed Duties .....	15
2.9	Sustainability .....	18
2.9.1	Background .....	18
2.9.2	Considerations for Businesses.....	21
3	Process Technology .....	23
3.1	Technology Overview .....	23
3.1.1	Low-Pressure Route.....	23
3.1.2	High-Pressure Route.....	24
3.1.3	Technology Holders and Licensors .....	26
3.2	High Pressure, Non-Catalytic Route .....	27
3.3	Casale .....	27
3.3.1	Process Description – Low Energy Melamine (LEM™) .....	27
3.3.2	Process Developments .....	30
3.4	Eurotecnica .....	32

3.4.1	Process Description – Euromel® .....	32
3.4.2	Process Developments .....	35
3.5	NIIK.....	37
3.5.1	Process Description .....	38
3.5.2	Process Developments .....	40
3.6	Other High-Pressure Technology Holders .....	41
3.6.1	OCI .....	41
3.6.2	Nissan Chemical Corporation .....	43
3.7	Low Pressure, Catalytic Route .....	45
3.8	Air Liquide .....	45
3.8.1	Process Description .....	45
3.9	Other Low-Pressure Technology Holders .....	48
3.9.1	BASF .....	48
3.9.2	OCI .....	50
3.9.3	Tsinghua Tech.....	50
4	Process Economics .....	52
4.1	Costing Basis .....	52
4.1.1	Investment Basis .....	52
4.1.2	Pricing Basis.....	52
4.1.3	Cost of Production Basis .....	54
4.1.4	Production Cost Estimates .....	54
4.1.5	Cost of Producing High Purity Melamine (>99.8 Weight Percent) via a High Pressure Process.....	55
4.1.6	Cost of Producing High Purity Melamine (>99.8 Weight Percent) via a High Pressure Process – Urea and Ammonia Integration .....	59
4.1.7	Cost of Producing High Purity Melamine (>99.8 Weight Percent) via a Low Pressure Process .....	65
4.1.8	Cost of Producing High Purity Melamine (>99.8 Weight Percent) via a Low Pressure Process – Urea and Ammonia Integration .....	69
4.1.9	Comparison of Commercial Processes to Produce High Purity Melamine (>99.8 Weight Percent).....	75
4.1.10	Conclusion.....	79
4.2	Sensitivity Analysis .....	80
4.2.1	Sensitivity to Feedstock Pricing .....	80
4.2.2	Sensitivity to Economy of Scale .....	81
4.2.3	Sensitivity to Capital Investment .....	83
5	Commercial Applications .....	84
5.1	Melamine Resins.....	84
5.1.1	Laminates.....	86
5.1.2	Adhesives.....	86
5.1.3	Coatings .....	87
5.1.4	Molding Compounds .....	88
5.1.5	Paper Products.....	88
5.1.6	Tires.....	88
5.1.7	Textiles .....	88
5.1.8	Concrete Additives .....	89

5.2	Melamine Foams .....	89
6	Market Analysis .....	91
6.1	Demand .....	91
6.2	Supply.....	93
6.3	Supply, Demand and Trade .....	96

## Appendices

A	Definitions of Capital Cost Terms Used in Process Economics.....	98
B	Definitions of Operating Costs Terms Used in Process Economics .....	103
C	TECH Program Title Index (2010-2020) .....	106
D	References .....	109

## Figures

Figure 1	Global Melamine Demand by End Use .....	1
Figure 2	Melamine Key Applications .....	2
Figure 3	Simplified Melamine Process Block Diagram .....	2
Figure 4	Summary of High Purity Melamine (>99.8 Weight Percent) Production Costs .....	3
Figure 5	Melamine Molecular Structure.....	4
Figure 6	Melamine Value Chain .....	5
Figure 7	Melamine Historical Development Timeline .....	7
Figure 8	Cyanuric Acid and Uric Acid Molecular Structure.....	9
Figure 9	Melamine - New Entrant SWOT Analysis.....	10
Figure 10	Melem Structure, (2,5,8-triamino-1,3,4,6,7,9,9b-heptaazaphenalene) .....	12
Figure 11	Melon Structure, (2,4,6-tris (cyanoamino)-1,3,5-triazine).....	13
Figure 12	Melam Structure, (N-4,6-diamino-1,3,5-triazin-2-yl)-1,3,5-triamine) .....	13
Figure 13	British Coatings Federation (BCF) VOC Globe Scheme .....	14
Figure 14	UN Sustainable Development Goals (SDGs) .....	18
Figure 15	Taxonomy Regulation Users .....	21
Figure 16	Simplified Melamine Process Block Diagram .....	23
Figure 17	Oxoaminotriazine Byproduct Structures .....	25
Figure 18	Simplified Process Flow Diagram – Casale LEM™ Melamine Process.....	29
Figure 19	Simplified Process Flow Diagram - Eurotecnica Euromel® .....	36
Figure 20	Simplified Process Flow Diagram - NIIK.....	39
Figure 21	Simplified Process Flow Diagram – OCI High Pressure .....	42
Figure 22	Simplified Process Flow Diagram – Nissan Chemical Corporation.....	44
Figure 23	Simplified Process Flow Diagram – Air Liquide, Lurgi/Edgeein .....	47
Figure 24	Simplified Process Flow Diagram – BASF .....	49
Figure 25	Simplified Process Flow Diagram – OCI Low-Pressure .....	51
Figure 26	Summary of High Purity Melamine (>99.8 Weight Percent) via a High Pressure Process Production Costs .....	64
Figure 27	Summary of High Purity Melamine (>99.8 Weight Percent) via a Low Pressure Process Production Costs .....	74
Figure 28	Summary of High Purity Melamine (>99.8 Weight Percent) Production Costs .....	75

Figure 29	U.S. Gulf Coast Summary of High Purity Melamine (>99.8 Weight Percent) Production Costs .....	76
Figure 30	Western Europe Summary of High Purity Melamine (>99.8 Weight Percent) Production Costs .....	77
Figure 31	China Summary of High Purity Melamine (>99.8 Weight Percent) Production Costs .....	78
Figure 32	Regional Urea Market Prices.....	80
Figure 33	Sensitivity of High Purity Melamine (>99.8 Weight Percent) to Feedstock Price .....	81
Figure 34	Sensitivity of High Purity Melamine (>99.8 Weight Percent) to Economy of Scale.....	82
Figure 35	Sensitivity of High Purity Melamine (>99.8 Weight Percent) to Capital Investment .....	83
Figure 36	Melamine Methylation Reaction .....	85
Figure 37	Methyol Melamine Polymerization .....	85
Figure 38	Global Melamine Demand by Geography .....	91
Figure 39	Global Melamine Demand by End Use .....	92
Figure 40	Global Melamine Supply Demand and Trade .....	97
Figure 41	Global Melamine Net Trade.....	97

## Tables

Table 1	Melamine End-Use Competition.....	8
Table 2	Melamine Properties.....	11
Table 3	Melamine Characteristics .....	11
Table 4	Typical Melamine Grades .....	12
Table 5	United States Melamine Import Duties, 2015-2020.....	16
Table 6	European Union Melamine Import Duties, 2011-2022 .....	16
Table 7	India Melamine Import Duties.....	17
Table 8	Plant Manufacturer Key Sustainability Considerations.....	22
Table 9	Melamine Technology Holders and Licensors .....	26
Table 10	Feedstock, Product and Utility Pricing Basis .....	53
Table 11	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine Process: High Pressure; USGC .....	56
Table 12	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine Process: High Pressure; Western Europe .....	57
Table 13	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine Process: High Pressure; China .....	58
Table 14	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine – Urea and Ammonia Integration Process: High Pressure; USGC .....	60
Table 15	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine – Urea and Ammonia Integration Process: High Pressure; Western Europe.....	61
Table 16	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine – Urea and Ammonia Integration Process: High Pressure; China .....	62
Table 17	Summary of High Purity Melamine (>99.8 Weight Percent) via a High Pressure Process Production Costs .....	63
Table 18	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine Process: Low Pressure; USGC .....	66

Table 19	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine Process: Low Pressure; Western Europe .....	67
Table 20	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine Process: Low Pressure; China .....	68
Table 21	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine – Urea and Ammonia Integration Process: Low Pressure; USGC .....	70
Table 22	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine – Urea and Ammonia Integration Process: Low Pressure; Western Europe .....	71
Table 23	Cost of Production Estimate for High Purity (>99.8 Weight Percent) Melamine – Urea and Ammonia Integration Process: Low Pressure; China .....	72
Table 24	Summary of High Purity Melamine (>99.8 Weight Percent) via a Low Pressure Process Production Costs .....	73
Table 25	Summary of High Purity Melamine (>99.8 Weight Percent) Production Costs .....	75
Table 26	U.S. Gulf Coast Summary of High Purity Melamine (>99.8 Weight Percent) Production Costs .....	76
Table 27	Western Europe Summary of High Purity Melamine (>99.8 Weight Percent) Production Costs .....	77
Table 28	China Summary of High Purity Melamine (>99.8 Weight Percent) Production Costs .....	78
Table 29	Melamine End-Use Applications.....	84
Table 30	Melamine Resin Derivatives.....	86
Table 31	Melamine Foam Properties .....	89
Table 32	Melamine Foam Applications .....	90
Table 33	Global Melamine Capacity.....	94



## TECHNOLOGY & COSTS

# Technoeconomics - Energy & Chemicals (TECH)

The NexantECA Subscriptions' Technoeconomics - Energy & Chemicals (TECH) program is recognized globally as the industry standard source for information relevant to the chemical process and refining industries. Technoeconomics - Energy & Chemicals (TECH) reports are available as a subscription program or on a single report basis.

### Contact Details:

#### Americas:

Marcos Nogueira Cesar, Vice President, Global Products, E&CA: NexantECA Subscriptions  
Phone: + 1-914-609-0324, e-mail: [mcesar@nexantECA.com](mailto:mcesar@nexantECA.com)

Erica Hill, Client Services Coordinator, E&CA-Products  
Phone: + 1-914-609-0386, e-mail: [ehill@nexantECA.com](mailto:ehill@nexantECA.com)

#### EMEA:

Anna Ibbotson, Director, NexantECA Subscriptions  
Phone: +44-207-950-1528, [aibbotson@nexantECA.com](mailto:aibbotson@nexantECA.com)

#### Asia:

Chommanad Thammanayakatip, Managing Consultant, Energy & Chemicals Advisory  
Phone: +66-2793-4606, email: [chommanadt@nexantECA.com](mailto:chommanadt@nexantECA.com)

NexantECA ([www.nexantECA.com](http://www.nexantECA.com)) is a leading management consultancy to the global energy, chemical, and related industries. For over 38 years, NexantECA has helped clients increase business value through assistance in all aspects of business strategy, including business intelligence, project feasibility and implementation, operational improvement, portfolio planning, and growth through M&A activities. NexantECA has its main offices in White Plains (New York), and London (UK), and satellite offices worldwide.

Copyright © by NexantECA 2021. All Rights Reserved.