

TECHNOLOGY & COSTS
Biorenewable Insights
Green Solvents
Table of Contents
A Report by **NexantECA, the Energy and Chemical Advisory company**
Published Date: September 2022
www.nexanteca.com/subscriptions-and-reports

Contents

| | | |
|-------|--|----|
| 1 | Executive Summary | 1 |
| 1.1 | Introduction..... | 1 |
| 1.2 | What is a Green Solvent? | 2 |
| 1.3 | The Solvent Industry | 3 |
| 1.4 | Green Solvents Selection Guide | 3 |
| 1.4.1 | NexantECA Solvent Sustainability Index (NESSI) Analysis..... | 3 |
| 1.4.2 | NexantECA Solvent Sustainability Index Results | 5 |
| 2 | Introduction | 6 |
| 2.1 | Overview..... | 6 |
| 2.1.1 | Green Solvents..... | 7 |
| 2.1.2 | Drivers for Green Solvents | 7 |
| 2.1.3 | Chemical Industry Megatrends | 11 |
| 2.2 | Study Objectives | 14 |
| 3 | The Solvent Industry | 15 |
| 3.1 | Overview..... | 15 |
| 3.2 | International Recognized Regulations or Standards..... | 17 |
| 3.2.1 | UN Sustainable Development Plan..... | 17 |
| 3.2.2 | World Health Organization | 18 |
| 3.2.3 | ICH | 18 |
| 3.2.4 | The Intergovernmental Panel on Climate Change (IPCC) | 19 |
| 3.2.5 | Carbon Pricing – ETS and Carbon Tax..... | 20 |
| 3.3 | Reducing the Impact of Solvents | 21 |
| 3.3.1 | Renewable Raw Materials | 21 |
| 3.3.2 | Process Optimization | 21 |
| 3.3.3 | Substitute Technologies | 22 |
| 3.3.4 | Use of Alternative Solvents | 22 |
| 3.3.5 | Disposal of Solvents and Solvent Contaminated Wastes | 23 |
| 3.3.6 | Solvent Recycling..... | 23 |
| 3.3.7 | Energy Reclamation via Incineration..... | 25 |

| | | |
|-------|--|----|
| 4 | Defining Green Solvents | 26 |
| 4.1 | Green Chemistry Principles..... | 27 |
| 4.2 | Solvent Assessments Frameworks | 29 |
| 4.2.1 | Life Cycle Assessments | 29 |
| 4.2.2 | Environmental Health and Safety (EHS)..... | 31 |
| 4.2.3 | 10R Principles Framework | 33 |
| 4.2.4 | Carbon intensity | 33 |
| 4.3 | Solvent Selection Parameters | 34 |
| 4.3.1 | Polarity | 34 |
| 4.3.2 | Empirical Polarity Parameters..... | 35 |
| 4.3.3 | Principal Component Analysis (PCA)..... | 38 |
| 4.3.4 | Maximum Incremental Reactivity (MIR) | 39 |
| 4.3.5 | U.S. EPA Toxics Release Inventory (TRI) Program | 39 |
| 4.3.6 | Global Warming Potentials (GWP)..... | 39 |
| 4.4 | Existing Solvent Selection Guide | 40 |
| 4.4.1 | Pfizer Solvent Selection Guide..... | 40 |
| 4.4.2 | GSK and Sanofi Solvent Selection Guide | 41 |
| 4.4.3 | ACS Green Chemistry Institute Pharmaceutical Roundtable (GCI-PR) | 42 |
| 4.4.4 | U.S. EPA | 44 |
| 4.5 | NexantECA Solvent Sustainability Index (NESSI) | 45 |
| 4.5.1 | Parameters of NESSI | 46 |
| 5 | Green Solvents..... | 49 |
| 5.1 | Introduction..... | 49 |
| 5.1.1 | Traditional Solvents..... | 49 |
| 5.1.2 | Bio-solvents | 50 |
| 5.2 | Acids..... | 51 |
| 5.2.1 | Acetic Acid and Acetic Anhydride | 51 |
| 5.2.2 | Formic Acid | 54 |
| 5.2.3 | Summary of Acids | 57 |
| 5.3 | Alcohols | 57 |
| 5.3.1 | Methanol..... | 57 |
| 5.3.2 | Ethanol | 61 |
| 5.3.3 | Propylene Glycol | 64 |
| 5.3.4 | Isopropanol (IPA) | 66 |
| 5.3.5 | Glycerol | 69 |
| 5.3.6 | Summary of Alcohols | 72 |
| 5.4 | Esters | 73 |
| 5.4.1 | Ethyl Acetate | 73 |
| 5.4.2 | Ethyl Lactate..... | 75 |
| 5.4.3 | Dimethyl Carbonate..... | 78 |
| 5.4.4 | Methyl Soyate..... | 81 |
| 5.4.5 | Summary of Esters..... | 83 |

| | | |
|-------|--|-----|
| 5.5 | Ethers | 84 |
| 5.5.1 | Dimethyl Ether (DME) | 84 |
| 5.5.2 | Tetrahydrofuran (THF) | 86 |
| 5.5.3 | 2-Methyltetrahydrofuran (2-MeTHF) | 89 |
| 5.5.4 | 2-methoxyethanol / Ethylene Glycol Monomethyl Ethers | 92 |
| 5.5.5 | Summary of Ethers..... | 94 |
| 5.6 | Ketones | 95 |
| 5.6.1 | Acetone | 95 |
| 5.6.2 | Diacetone Alcohol (DAA) | 98 |
| 5.6.3 | Cyclohexane..... | 100 |
| 5.6.4 | Methyl Ethyl Ketone (MEK) | 101 |
| 5.6.5 | Methyl Isobutyl Ketone (MIBK)..... | 104 |
| 5.6.6 | Summary of Ketones..... | 107 |
| 5.7 | Natural Solvents | 108 |
| 5.7.1 | D-limonene | 108 |
| 5.7.2 | Water | 111 |
| 5.7.3 | Summary of Natural Solvents | 114 |
| 5.8 | Proprietary Solvents | 115 |
| 5.8.1 | CyreneTM (Dihydrolevoglucosenone) | 115 |
| 5.8.2 | Rhodiasolv® IRIS | 117 |
| 5.8.3 | BioLife Range..... | 119 |
| 5.8.4 | NXTLEVVEL..... | 121 |
| 5.8.5 | Summary of Proprietary Solvents | 124 |
| 5.9 | Neoteric Solvents | 125 |
| 5.9.1 | Ionic liquids..... | 125 |
| 5.9.2 | Supercritical Fluid..... | 128 |
| 5.9.3 | Natural Deep Eutectic Solvents (NADES)..... | 132 |
| 5.9.4 | Summary of Neoteric Solvents..... | 135 |
| 5.10 | Conclusions | 135 |
| 6 | Implementations | 136 |
| 6.1 | Solvent Performance and Substitution Potential..... | 136 |
| 6.1.1 | HSP Analysis and Solvent Replacement | 136 |
| 6.1.2 | NESSI versus MIR | 138 |

Appendices

| | | |
|---|-------------------------------|-----|
| A | Names and Abbreviations | 140 |
| B | References | 144 |

Figures

| | | |
|-----------|---|-----|
| Figure 1 | NESSI Analysis Parameters | 4 |
| Figure 2 | NESSI Results Overview | 5 |
| Figure 3 | Conventional Solvent Production | 16 |
| Figure 4 | Global Solvents Market by Product 2021 | 17 |
| Figure 5 | Data for the Highest Volume End-of-life Practices in all Industries (USA, 2020) | 24 |
| Figure 6 | Life Cycle Assessment Method | 30 |
| Figure 7 | The Stages of a Cradle-to-grave Life Cycle | 30 |
| Figure 8 | EHS Method | 31 |
| Figure 9 | EHS Rankings for Five Representative Solvents | 32 |
| Figure 10 | Dipole Moments versus Dielectric Constants for Common Laboratory Solvents..... | 35 |
| Figure 11 | Example of 2 Dimensional HSP Space [for hydroxyl poly(amic acid)] | 36 |
| Figure 12 | ACS GCI Pharmaceutical Roundtable PCA Solvent Selection | 38 |
| Figure 13 | GSK Solvent Selection Guide Solvent Waste Source Properties | 42 |
| Figure 14 | An Example of EPA ChemView Information Page on Chemicals | 44 |
| Figure 15 | NESSI Analysis Parameters | 46 |
| Figure 16 | NESSI Results Overview | 48 |
| Figure 17 | Structure of Acetic Acid | 51 |
| Figure 18 | Structure of Acetic Anhydride | 51 |
| Figure 19 | Structure of Formic Acid | 54 |
| Figure 20 | Structure of Methanol | 57 |
| Figure 21 | Structure of Ethanol | 61 |
| Figure 22 | Propylene Glycol..... | 64 |
| Figure 23 | Structure of Isopropanol | 66 |
| Figure 24 | Structure of Glycerol | 69 |
| Figure 25 | Ethyl Acetate..... | 73 |
| Figure 26 | Structure of Ethyl Lactate | 75 |
| Figure 27 | Structure of Dimethyl Carbonate | 78 |
| Figure 28 | Structure of Dimethyl Ether | 84 |
| Figure 29 | Structure of Tetrahydrofuran | 86 |
| Figure 30 | Structure of 2-Methyltetrahydrofuran..... | 89 |
| Figure 31 | 2-methoxyethanol | 92 |
| Figure 32 | Acetone | 95 |
| Figure 33 | Diacetone Alcohol Structure | 98 |
| Figure 34 | Cyclohexane Structure | 100 |
| Figure 35 | Methyl Ethyl Ketone..... | 101 |
| Figure 36 | Methyl Isobutyl Ketone | 104 |
| Figure 37 | Limonene Optical Isomers | 108 |
| Figure 38 | Structure of d-limonene | 109 |
| Figure 39 | d-limonene Production Process..... | 110 |
| Figure 40 | Structure of Water..... | 111 |
| Figure 41 | Dihydrolevoglucosenone Structure..... | 115 |

| | | |
|-----------|---|-----|
| Figure 42 | Levulinic Acid Structure | 121 |
| Figure 43 | Levulinic Acid Esters (left) and Levulinic Acid ketals (right) Structure | 122 |
| Figure 44 | Typical Ionic Liquid Cations..... | 126 |
| Figure 45 | Typical Ionic Liquid Anions | 126 |
| Figure 46 | Illustrative Phase Diagram..... | 129 |
| Figure 47 | Phase Densities vs SCFs | 129 |
| Figure 48 | Schematic Diagram of the Eutectic Point on a Two Component (1 and 2) Phase..... | 133 |
| Figure 49 | Solvents' Hansen Nonpolar Parameters | 137 |
| Figure 50 | Solvents' Hansen Polar Parameters..... | 137 |
| Figure 51 | Solvents' Hansen Hydrogen Parameters | 138 |
| Figure 52 | NESSI versus MIR..... | 139 |
| Figure 53 | NESSI versus MIR by Solvent Category | 139 |

Tables

| | | |
|----------|---|----|
| Table 1 | Examples of Industries That Use Solvents..... | 15 |
| Table 2 | Classification of Residual Solvents by Risk Assessment..... | 19 |
| Table 3 | The 12 Principles of Green Chemistry..... | 28 |
| Table 4 | 10R principle of Circular Economy Strategies ¹⁾ | 33 |
| Table 5 | Solvent Selection Descriptors..... | 34 |
| Table 6 | Summary of Protic and Aprotic Solvents | 37 |
| Table 7 | Pfizer's Solvent Selection Guide | 40 |
| Table 8 | Pfizer solvent substitution table (selected) | 41 |
| Table 9 | ACS GCI Pharmaceutical Roundtable Solvent Selection Guide | 43 |
| Table 10 | NESSI Parameters | 47 |
| Table 11 | Typical Physical Properties of Acetic Acid and Acetic Anhydride | 52 |
| Table 12 | NESSI Scoring for Acetic Acid/Acetic Anhydride | 53 |
| Table 13 | Typical Physical Properties of Formic Acid | 55 |
| Table 14 | NESSI Scoring for Formic Acid | 56 |
| Table 15 | Summary of Acids..... | 57 |
| Table 16 | Typical Properties of Methanol | 58 |
| Table 17 | NESSI Scoring for Methanol..... | 60 |
| Table 18 | Typical Properties of Ethanol..... | 61 |
| Table 19 | NESSI for Ethanol..... | 63 |
| Table 20 | Typical Properties of Propylene Glycol | 64 |
| Table 21 | NESSI for Propylene Glycol | 65 |
| Table 22 | Typical Properties of Isopropanol | 67 |
| Table 23 | NESSI for Isopropanol..... | 68 |
| Table 24 | Typical Properties of Glycerol..... | 70 |
| Table 25 | NESSI for Glycerol..... | 71 |
| Table 26 | Summary of Alcohols..... | 72 |
| Table 27 | Typical Properties of Ethyl Acetate..... | 73 |
| Table 28 | NESSI Scoring for Ethyl Acetate | 74 |
| Table 29 | Typical Properties of Ethyl Lactate | 76 |
| Table 30 | NESSI Scoring for Ethyl Lactate..... | 77 |
| Table 31 | Typical Properties of Dimethyl Carbonate | 78 |
| Table 32 | NESSI Scoring for Dimethyl Carbonate | 80 |
| Table 33 | Typical Properties of Methyl Soyate | 81 |
| Table 34 | NESSI Scoring for Methyl Soyate..... | 82 |
| Table 35 | Summary of Esters | 83 |
| Table 36 | Typical Physical Properties of Dimethyl Ether..... | 84 |
| Table 37 | NESSI Scoring for DME | 85 |
| Table 38 | Typical Properties of THF | 87 |
| Table 39 | NESSI Scoring for THF | 88 |
| Table 40 | Typical Properties of 2-MeTHF..... | 90 |
| Table 41 | NESSI Scoring for 2-MeTHF | 91 |

| | | |
|----------|--|-----|
| Table 42 | Typical Properties of 2-methoxyethanol | 92 |
| Table 43 | NESSI Scoring for 2-methoxyethanol..... | 93 |
| Table 44 | Summary of Ethers | 94 |
| Table 45 | Typical Properties of Acetone..... | 95 |
| Table 46 | NESSI Scoring for Acetone | 97 |
| Table 47 | Typical Properties of Diacetone Alcohol..... | 98 |
| Table 48 | NESSI Scoring for Diacetone Alcohol | 99 |
| Table 49 | Typical Properties of Cyclohexane | 100 |
| Table 50 | NESSI Scoring for Cyclohexane..... | 101 |
| Table 51 | Typical Properties of Methyl Ethyl Ketone..... | 102 |
| Table 52 | NESSI Scoring for MEK..... | 103 |
| Table 53 | Typical Properties of Methyl Isobutyl Ketone | 104 |
| Table 54 | NESSI Scoring for Methyl Isobutyl Ketone | 105 |
| Table 55 | Summary of Ketones | 107 |
| Table 56 | Typical d-limonene Properties | 109 |
| Table 57 | NESSI Scoring for d-limonene..... | 110 |
| Table 58 | Typical Properties of Water | 112 |
| Table 59 | Summary of Natural Solvents..... | 114 |
| Table 60 | Cyrene™ Physical Properties | 116 |
| Table 61 | NESSI Scoring for Cyrene™ | 116 |
| Table 62 | Rhodiasolv® IRIS Physical Properties | 118 |
| Table 63 | NESSI Scoring for Rhodiasolv..... | 118 |
| Table 64 | Biolife Products Physical Properties..... | 120 |
| Table 65 | NESSI Scoring for Biolife Range | 120 |
| Table 66 | NXT SOLV Range Physical Properties | 123 |
| Table 67 | NESSI Scoring for NXT SOLV Range | 123 |
| Table 68 | Summary of Proprietary Solvents..... | 124 |
| Table 69 | NESSI Scoring for Ionic Liquids | 127 |
| Table 70 | Physical Properties of Selected Supercritical Solvents | 130 |
| Table 71 | Summary of Neoteric Solvents | 135 |



TECHNOLOGY & COSTS

Biorenewable Insights

The NexantECA Subscriptions' Biorenewable Insights program is recognized globally as the industry standard source for information relevant to the chemical process and refining industries. Biorenewable Insights reports are available as a subscription program or on a single report basis.

Contact Details:

Americas:

Marcos Nogueira Cesar, Vice President, Global Subscriptions and Reports
Phone: + 1-914-609-0324, e-mail: mcesar@NexantECA.com

Erica Hill, Client Services Coordinator, Subscriptions and Reports
Phone: + 1-914-609-0386, e-mail: ehill@NexantECA.com

EMEA:

Anna Ibbotson, Vice President, Sales and Marketing
Phone: +44-207-950-1528, aibbotson@NexantECA.com

Asia:

Chommanad Thammanayakatip, Managing Consultant
Phone: +66-2793-4606, email: chommanadt@NexantECA.com

NexantECA Subscriptions and Reports provide clients with comprehensive analytics, forecasts and insights for the chemicals, polymers, energy and cleantech industries. Using a combination of business and technical expertise, with deep and broad understanding of markets, technologies and economics, NexantECA provides solutions that our clients have relied upon for over 50 years.

Copyright © 2000-2021 NexantECA (BVI) Limited. All rights reserved