

TECHNOLOGY & COSTS**Biorenewable Insights****Biorenewable Insights: Transportation Fuels**

Table of Contents

A Report by **NexantECA**, the Energy and Chemical Advisory company

Published Date: September 2023

www.nexanteca.com/subscriptions-and-reports**Contents**

1	Executive Summary	1
1.1	Introduction and Scope	1
1.2	Manufacturing Technology	2
1.3	Power-to-X Applications in Transportation	3
1.4	Economics	4
1.4.1	Manufacturing Economics	4
1.4.2	Transportation Use Economics	7
1.5	Carbon Intensity Impact	9
1.5.1	Manufacturing Carbon Intensity	9
1.5.2	Carbon Impacts of Use	11
1.6	Strategic Implications	13
2	Introduction	14
2.1	Overview of Power to X	14
2.2	Power to X as a Source of Liquid Fuels	14
2.3	Drivers for Power to X Liquid Fuels	16
2.3.1	Sustainability	16
2.3.2	Regulatory and Policy Drivers	18
2.3.3	Geopolitical Drivers	22
3	Power to Intermediates Technology	24
3.1	Introduction	24
3.1.1	Major Power-to-Intermediates Routes	24
3.1.2	Electrolyzers	25
3.1.3	Efficiency and Power Consumption	26
3.2	Hydrogen via Electrolysis of Water	27
3.2.1	Overview	28
3.2.2	Alkaline Electrolysis	28
3.2.3	Proton Exchange Membrane (PEM) Electrolysis	33
3.2.4	Solid Oxide Electrolysis	38
3.3	Carbon Monoxide via Electrolysis of Carbon Dioxide	42
3.3.1	Overview	42
3.3.2	Electrolysis at Ambient Conditions	43

3.3.3	High Temperature Electrolysis	46
3.4	Carbon Monoxide From Carbon Dioxide	49
3.4.1	Water-Gas Shift	50
3.4.2	Direct Hydrogenation to Carbon Monoxide	50
4	Power to Liquids Technology	52
4.1	Methanol and Methanol to Liquids	52
4.1.1	Overview	52
4.1.2	Methanol Production Technology	53
4.1.3	Dimethyl Ether Technology	56
4.1.4	Methanol to Gasoline Technology	57
4.1.5	Methanol to Jet Technology	59
4.1.6	Methanol to Electricity Technology	62
4.2	Ammonia	64
4.2.1	Ammonia Production Technology	64
4.2.2	Ammonia as a Hydrogen Carrier	69
4.3	Fischer-Tropsch Syngas to Hydrocarbons	70
4.3.1	Chemistry	71
4.3.2	Process Description	75
4.3.3	Direct Carbon Dioxide Use	79
5	Applications of Power to Liquids Technology	80
5.1	Ground Transportation	80
5.1.1	Personal Vehicles	80
5.1.2	Road Cargo Vehicles	80
5.1.3	Rail Cargo Vehicles	82
5.2	Air Transportation	83
5.2.1	Power-to-X Liquid Fuels Propulsion	83
5.2.2	Other Propulsion Options	84
5.3	Marine Transportation	84
5.3.1	Power-to-X Liquid Fuels Propulsion	84
5.3.2	Other Propulsion Options	86
6	Project and Implementation Considerations	88
6.1	Oxygen Disposition	88
6.1.1	Addressable Markets	88
6.1.2	Competition with Incumbent Producers	89
6.1.3	Scale of Supply	89
6.1.4	Decarbonization Mission Alignment	90
6.2	Sourcing Carbon Dioxide	90
6.2.1	Cost of Carbon Dioxide	91
6.2.2	Effect on Emissions Accounting of Fuels	92
6.3	Sourcing Renewable Power	93
6.3.1	Electrical Power Pricing	94
6.3.2	Electrical Power Availability	96
6.3.3	Power-to-X Behind the Meter	97
7	Economics of Power to Liquids	99
7.1	Power to Liquids Manufacturing Economics	99

7.1.1	Introduction and Methodology	99
7.1.2	Technology and Scenario Coverage	102
7.1.3	Methanol and Dimethyl Ether	104
7.1.4	Gasoline via Methanol-to-Gasoline	119
7.1.5	Hydrocarbons from the Fischer-Tropsch Process	129
7.1.6	Ammonia	139
7.2	Power to Liquids Transportation Economics	147
7.2.1	Introduction and Methodology	147
7.2.2	Summary and Base Case Comparison	149
7.2.3	Road Cargo Transportation	151
7.2.4	Rail Cargo Transportation	153
7.2.5	Marine Cargo Transportation	154
7.2.6	Air Cargo Transportation	155
8	Carbon Intensity	157
8.1	Methodology	157
8.1.1	Generic Nature of This Analysis	157
8.1.2	Manufacturing Carbon Intensity Methodology	157
8.1.3	Downstream Use Carbon Intensity Methodology	161
8.2	Carbon Intensity of Manufacturing	163
8.2.1	Renewable Electricity Basis	163
8.2.2	Grid Electricity Basis	166
8.3	Carbon Intensity of Downstream Use	169
9	Implications for Conventional Industry	173
9.1	Regulatory Outlook for Power-to-X	173
9.1.1	General Regulatory Trends	173
9.1.2	Geopolitical Drivers	174
9.1.3	Compliance Effects on Power-to-X	174
9.2	Conventional Fuel Industry Outlook for Power-to-X	175
9.3	Commercial Outlook for Power-to-X	176
9.3.1	Carbon Dioxide Feedstock Acquisition	176
9.3.2	Commercial Offtake	176
9.3.3	Power Procurement	177
9.4	Technical Outlook	177
9.4.1	Deployment of Available Technology	177
9.4.2	Medium-Term Technical Improvements	178

Appendices

A	NexantECA Intermittent Simulation Models	181
B	References	191

Figures

Figure 1	Coverage of PTL Liquid Products and Technologies	2
Figure 2	Summary of Power-to-X Liquid Fuel Manufacturing Costs of Production	6
Figure 3	Summary of Modeled Freight Costs from Power-to-X Transportation Fuels	8
Figure 4	Graphical Comparison of Power-to-X Fuels Manufacturing Carbon Intensity, Renewable Electricity and Fossil Carbon Input Basis	10
Figure 5	Power-to-X Carbon Intensity Comparison of Transportation Options, Renewable Electricity Basis, US Values	12
Figure 6	Power to X Routes to Liquid Fuels	15
Figure 7	Diagram of Electrolyzer Producing Hydrogen	26
Figure 8	Sample Performance Curve of Electrochemical Process.....	27
Figure 9	Schematic of Unipolar (a) and Bipolar (b) Alkaline Electrolysis Modules.....	30
Figure 10	Basic Flow Diagram of Alkaline Electrolysis System for Hydrogen Production	32
Figure 11	Schematic View of a PEM Electrolysis Cell.....	35
Figure 12	Diagram of a PEM Electrolyzer Module	35
Figure 13	Basic Flow Diagram of PEM Electrolysis System for Hydrogen Production	37
Figure 14	Example of a Solid Oxide Electrolytic Cell (SOEC) Module	39
Figure 15	Typical Two-Column Distillation Simplified Process Flow Diagram	55
Figure 16	Oligomerization Chemistry	61
Figure 17	Basic Ammonia Converter Design.....	67
Figure 18	Various Ammonia Converter Designs	68
Figure 19	Fischer-Tropsch Reaction Mechanism	72
Figure 20	Pettit Polymerization Depiction	72
Figure 21	FT Process Product Profiles	73
Figure 22	Tubular Fixed Bed Reactor.....	77
Figure 23	Slurry Bed Reactor	78
Figure 24	Cargo Transportation Cost Base Case Comparison	150
Figure 25	Summary of Modeled Freight Costs from Power-to-X Transportation Fuels	151
Figure 26	Cost of On-Road Cargo Trucking Using Power-to-X Fuels.....	152
Figure 27	Cost of Railroad Freight Using Power-to-X Fuels	154
Figure 28	Cost of Marine Freight Using Power-to-X Fuels.....	155
Figure 29	Cost of Air Freight Using Power-to-X Fuels	156
Figure 30	Definitions of Scope Emissions	158
Figure 31	Process Carbon Balance	158
Figure 32	Utility Emissions Equation	160
Figure 33	Graphical Comparison of Power-to-X Fuels Manufacturing Carbon Intensity, Renewable Electricity and Fossil Carbon Input Basis	163
Figure 34	Graphical Comparison of Power-to-X Fuels Manufacturing Carbon Intensity, Renewable Electricity and Neutral Carbon Input Basis	164
Figure 35	Graphical Comparison of Power-to-X Fuels Manufacturing Carbon Intensity, Grid Electricity and Fossil Carbon Input Basis	167
Figure 36	Graphical Comparison of Power-to-X Fuels Manufacturing Carbon Intensity, Grid Electricity and Neutral Carbon Input Basis	167

Figure 37	Power-to-X Carbon Intensity Comparison of Transportation Options, Renewable Electricity Basis, US Values	171
Figure 38	Power-to-X Carbon Intensity Comparison of Transportation Options, Renewable Electricity Basis, EU Values	172
Figure 39	Adjusted Pareto Curve of Electricity Pricing	182
Figure 40	Monte Carlo Simulation Price Distribution by Number of Model Runs	185
Figure 41	Operational Case Density of Simulated Power-to-X Ammonia Plant, Electricity Price versus Plant-Gate Price	187
Figure 42	Log-Linear Plot of Unit Production Costs versus Plant-Gate Product Price, with Operating Rate and Accessed Power Price	188
Figure 43	Histogram of EU Day-Ahead Pricing and U.S. Midwest NAPL	189

Tables

Table 1	Summary of Power-to-X Transport Application Requirements	3
Table 2	NexantECA Manufacturing Economics Coverage.....	4
Table 3	Summary of Power-to-X Liquid Fuel Manufacturing Costs of Production	5
Table 4	Summary of Intermittent Manufacturing Optimization Results for e-Methanol and e-DME	6
Table 5	Summary of Intermittent Manufacturing Optimization Results for e-Ammonia from PEM/PSA/Haber Process.....	7
Table 6	Summary of Modeled Freight Costs from Power-to-X Transportation Fuels	7
Table 7	Power-to-X Fuels Manufacturing Carbon Intensity Summary, Renewable Electricity Basis	9
Table 8	Power-to-X Fuel Stoichiometric Emissions versus Manufacturing CI in Grid Electricity Scenario	11
Table 9	Power-to-X Carbon Intensity Comparison of Transportation Options, Renewable Electricity Basis.....	11
Table 10	Summary of NexantECA Strategic Discussion.....	13
Table 11	Half-Reactions for Carbon Dioxide Reduction.....	44
Table 12	Sample F-T Process Outputs	74
Table 13	Fischer-Tropsch Reactor Comparison.....	75
Table 14	Effects of Fischer-Tropsch Reaction Parameters.....	75
Table 15	Sample Large-Scale Oxygen Using Chemical Processes	88
Table 16	Key Considerations in Carbon Dioxide Supply for Power-to-X Manufacturing	91
Table 17	Summary of Power Sourcing Issues in Power-to-X Manufacturing	94
Table 18	Prices of Raw Materials, Utilities, and Labor	101
Table 19	Power-to-X Manufacturing Cost of Production Scenarios	103
Table 20	Key Technoeconomic Assumptions in e-Methanol and e-DME Models	104
Table 21	Summary of Cost of Production for e-Methanol and e-DME	105
Table 22	Summary of Intermittent Manufacturing Optimization Results for e-Methanol and e-DME	105
Table 23	Cost of Production Estimate for e-Methanol, PEM Electrolysis Hydrogen with Water-Gas Shift of Stack Carbon Dioxide and Methanol Synthesis, U.S. Midwest, Maximal Operating Rate	107
Table 24	Cost of Production Estimate for e-Methanol, PEM Electrolysis Hydrogen with Water-Gas Shift of DAC Carbon Dioxide and Methanol Synthesis, U.S. Midwest, Maximal Operating Rate	108
Table 25	Cost of Production Estimate for e-Methanol, PEM Electrolysis Hydrogen with Water-Gas Shift of Stack Carbon Dioxide and Methanol Synthesis, Western Europe, Maximal Operating Rate	109
Table 26	Cost of Production Estimate for e-Methanol, PEM Electrolysis Hydrogen with Water-Gas Shift of DAC Carbon Dioxide and Methanol Synthesis, Western Europe, Maximal Operating Rate	110
Table 27	Sensitivity of Intermittent e-Methanol Production (PEM/WGS/Synthesis) by Electricity and Methanol Price, U.S. Midwest	111
Table 28	Sensitivity of Intermittent e-Methanol Production (PEM/WGS/Synthesis) by Electricity and Methanol Price, Western Europe	112

Table 29	Cost of Production Estimate for e-DME, PEM Electrolysis Hydrogen with Water-Gas Shift of Stack Carbon Dioxide, Methanol Synthesis and Catalytic Dehydration, U.S. Midwest, Maximal Operating Rate	113
Table 30	Cost of Production Estimate for e-DME, PEM Electrolysis Hydrogen with Water-Gas Shift of DAC Carbon Dioxide, Methanol Synthesis and Catalytic Dehydration, U.S. Midwest, Maximal Operating Rate	114
Table 31	Cost of Production Estimate for e-DME, PEM Electrolysis Hydrogen with Water-Gas Shift of Stack Carbon Dioxide, Methanol Synthesis and Catalytic Dehydration, Western Europe, Maximal Operating Rate	115
Table 32	Cost of Production Estimate for e-DME, PEM Electrolysis Hydrogen with Water-Gas Shift of DAC Carbon Dioxide, Methanol Synthesis and Catalytic Dehydration, Western Europe, Maximal Operating Rate	116
Table 33	Sensitivity of Intermittent e-DME Production (PEM/WGS/Synthesis/Dehydration) by Electricity and DME Price, U.S. Midwest	118
Table 34	Sensitivity of Intermittent e-DME Production (PEM/WGS/Synthesis/Dehydration) by Electricity and DME Price, Western Europe	118
Table 35	Key Technoeconomic Assumptions in e-Methanol-to-Gasoline Model	120
Table 36	Summary of Cost of Production for e-Gasoline from e-Methanol-to-Gasoline	121
Table 37	Cost of Production Estimate for e-Gasoline, PEM Electrolysis Hydrogen with Water-Gas Shift of Stack Carbon Dioxide, Methanol Synthesis and Methanol-to-Gasoline, U.S. Midwest, Maximal Operating Rate	123
Table 38	Cost of Production Estimate for e-Gasoline, PEM Electrolysis Hydrogen with Water-Gas Shift of DAC Carbon Dioxide, Methanol Synthesis and Methanol-to-Gasoline, U.S. Midwest, Maximal Operating Rate	124
Table 39	Cost of Production Estimate for e-Gasoline, PEM Electrolysis Hydrogen with Water-Gas Shift of Stack Carbon Dioxide, Methanol Synthesis and Methanol-to-Gasoline, Western Europe, Maximal Operating Rate	125
Table 40	Cost of Production Estimate for e-Gasoline, PEM Electrolysis Hydrogen with Water-Gas Shift of DAC Carbon Dioxide, Methanol Synthesis and Methanol-to-Gasoline, Western Europe, Maximal Operating Rate	126
Table 41	Sensitivity of Intermittent e-Gasoline Production (PEM/WGS/Synthesis/MTG) by Electricity and Gasoline Price, U.S. Midwest	128
Table 42	Sensitivity of Intermittent e-Gasoline Production (PEM/WGS/Synthesis/MTG) by Electricity and Gasoline Price, Western Europe	128
Table 43	Sample Breakdown of Modeled e-Fe-LTFT Product Slate	129
Table 44	Key Technoeconomic Assumptions in e-Fischer-Tropsch Model	130
Table 45	Summary of Cost of Production for e-FT Liquids from e-Fe-LTFT	131
Table 46	Cost of Production Estimate for e-FT Liquids, PEM Electrolysis Hydrogen with Water-Gas Shift of Stack Carbon Dioxide, Fe-LTFT with Cracking, U.S. Midwest, Maximal Operating Rate	133
Table 47	Cost of Production Estimate for e-FT Liquids, PEM Electrolysis Hydrogen with Water-Gas Shift of DAC Carbon Dioxide, Fe-LTFT with Cracking, U.S. Midwest, Maximal Operating Rate	134
Table 48	Cost of Production Estimate for e-FT Liquids, PEM Electrolysis Hydrogen with Water-Gas Shift of Stack Carbon Dioxide, Fe-LTFT with Cracking, Western Europe, Maximal Operating Rate	135

Table 49	Cost of Production Estimate for e-FT Liquids, PEM Electrolysis Hydrogen with Water-Gas Shift of DAC Carbon Dioxide, Fe-LTFT with Cracking, Western Europe, Maximal Operating Rate	136
Table 50	Sensitivity of Intermittent e-FT Liquid (PEM/WGS/Fe-LTFT) by Electricity and Diesel Blendstock Price, U.S. Midwest	138
Table 51	Sensitivity of Intermittent e-FT Liquid (PEM/WGS/Fe-LTFT) by Electricity and Diesel Blendstock Price, Western Europe	138
Table 52	Key Technoeconomic Assumptions in e-Ammonia Model	140
Table 53	Summary of Cost of Production for e-Ammonia from PEM/PSA/Haber Process	141
Table 54	Summary of Intermittent Manufacturing Optimization Results for e-Ammonia from PEM/PSA/Haber Process	141
Table 55	Cost of Production Estimate for e-Ammonia, PEM Electrolysis Hydrogen with PSA Nitrogen and Haber Process, U.S. Midwest, Maximal Operating Rate	143
Table 56	Cost of Production Estimate for e-Ammonia, PEM Electrolysis Hydrogen with PSA Nitrogen and Haber Process, Western Europe, Maximal Operating Rate	144
Table 57	Sensitivity of Intermittent e-Ammonia Production (PEM/PSA/Haber) by Electricity and Ammonia Price, U.S. Midwest	145
Table 58	Sensitivity of Intermittent e-Ammonia Production (PEM/PSA/Haber) by Electricity and Ammonia Price, Western Europe	146
Table 59	Transportation Cost Coverage by Fuel and Application	149
Table 60	Cargo Transportation Cost Base Case Comparison	149
Table 61	Summary of Modeled Freight Costs from Power-to-X Transportation Fuels	150
Table 62	Cost of On-Road Cargo Trucking Using Power-to-X Fuels	152
Table 63	Cost of Railroad Freight Using Power-to-X Fuels	153
Table 64	Cost of Marine Freight Using Power-to-X Fuels	155
Table 65	Cost of Air Freight Using Power-to-X Fuels	156
Table 66	Scope 1 & Scope 2 Utility Emissions Factors	160
Table 67	Power-to-X Fuels Manufacturing Carbon Intensity Summary, Renewable Electricity Basis	163
Table 68	Power-to-X Fuels Manufacturing Carbon Intensity Summary, Grid Electricity Basis	166
Table 69	Power-to-X Fuel Stoichiometric Emissions versus Manufacturing CI in Grid Electricity Scenario	168
Table 70	Power-to-X Carbon Intensity Comparison of Transportation Options, Renewable Electricity Basis	170



TECHNOLOGY & COSTS

Biorenewable Insights

The NexantECA Subscriptions' Biorenewable Insights program is recognized globally as the industry standard source for information relevant to the chemical process and refining industries. Biorenewable Insights reports are available as a subscription program or on a single report basis.

Contact Details:

Americas:

Steven Slome, Principal

Phone: + 1-914-609-0379, e-mail: sslome@NexantECA.com

Erica Hill, Client Services Coordinator, Subscriptions and Reports

Phone: + 1-914-609-0386, e-mail: ehill@NexantECA.com

EMEA:

Anna Ibbotson, Vice President, Sales and Marketing

Phone: +44-207-950-1528, aibbotson@NexantECA.com

Asia:

Chommanad Thammanayakatip, Managing Consultant

Phone: +66-2793-4606, email: chommanadt@NexantECA.com

NexantECA Subscriptions and Reports provide clients with comprehensive analytics, forecasts and insights for the chemicals, polymers, energy and cleantech industries. Using a combination of business and technical expertise, with deep and broad understanding of markets, technologies and economics, NexantECA provides solutions that our clients have relied upon for over 50 years.

Copyright © 2000-2023. NexantECA (BVI) Limited. All rights reserved