

# Thermoplastic Fabrication Processes

## Table of Contents

A Report by **NexantThinking™**

Process Evaluation/Research Planning (PERP) Program

PERP Report 2015S2– Published December 2015

[www.nexantthinking.com](http://www.nexantthinking.com)

| Section                                                          | Page |
|------------------------------------------------------------------|------|
| 1 Executive Summary .....                                        | 1    |
| 1.1 INTRODUCTION .....                                           | 1    |
| 1.1.1 Background .....                                           | 1    |
| 1.1.2 Overview of Plastics Extrusion .....                       | 1    |
| 1.1.3 Basis for the Economics .....                              | 2    |
| 1.2 COMPOUNDING .....                                            | 4    |
| 1.2.1 Economics and End-Use Markets .....                        | 4    |
| 1.3 FOAMING TECHNOLOGY .....                                     | 8    |
| 1.4 BLOW FILM EXTRUSION .....                                    | 9    |
| 1.4.1 Economics and End-Use Markets .....                        | 10   |
| 1.5 THERMOFORMING .....                                          | 11   |
| 1.5.1 Economics & End-Use Markets .....                          | 12   |
| 1.6 BI-AXIALLY ORIENTED POLYPROPYLENE (BOPP) FILM .....          | 13   |
| 1.6.1 Economics and End-Use Markets .....                        | 13   |
| 1.7 INJECTION MOLDING OF COMMODITY AND TRANSITION POLYMERS ..... | 14   |
| 1.7.1 Economics and End-Use Markets .....                        | 15   |
| 1.8 BLOW MOLDING .....                                           | 16   |
| 1.8.1 Economics & End-Use Markets .....                          | 17   |
| 1.9 PROFILE EXTRUSION .....                                      | 19   |
| 1.9.1 Economics and End-Use Markets .....                        | 20   |
| 1.10 FIBER .....                                                 | 21   |
| 1.10.1 Polypropylene Fiber .....                                 | 22   |
| 1.10.2 PET Fiber from Chip .....                                 | 23   |
| 1.11 3D PRINTING AND ADDITIVE MANUFACTURING .....                | 24   |
| 1.11.1 End-Use Markets .....                                     | 25   |
| 2 Introduction .....                                             | 27   |
| 2.1 BACKGROUND .....                                             | 27   |

|       |                                                                         |    |
|-------|-------------------------------------------------------------------------|----|
| 2.2   | OVERVIEW OF PLASTICS EXTRUSION .....                                    | 28 |
| 2.3   | VALUE CHAIN .....                                                       | 33 |
| 2.4   | TECHNOLOGY LICENSORS .....                                              | 34 |
| 2.5   | BUSINESS AND STRATEGIC ANALYSIS .....                                   | 36 |
| 2.6   | BASIS FOR THE ECONOMICS .....                                           | 38 |
| 2.6.1 | Direct Fixed Costs .....                                                | 40 |
| 2.6.2 | General Plant Overheads .....                                           | 41 |
| 2.6.3 | Taxation .....                                                          | 41 |
| 2.6.4 | Corporate Overheads .....                                               | 41 |
| 3     | Compounding .....                                                       | 42 |
| 3.1   | BACKGROUND .....                                                        | 42 |
| 3.2   | PROCESS DESCRIPTION .....                                               | 42 |
| 3.2.1 | Coperion's ZSK Twin Screw Extruder .....                                | 45 |
| 3.3   | COMMON POLYPROPYLENE COMPOUND TYPES .....                               | 48 |
| 3.3.1 | Mineral Filled Polypropylene .....                                      | 48 |
| 3.3.2 | Thermoplastic Olefinics (TPO) .....                                     | 48 |
| 3.3.3 | Thermoplastic Vulcanizates (TPV) .....                                  | 50 |
| 3.3.4 | Glass Fiber .....                                                       | 52 |
| 3.3.5 | Additive Concentrates or Masterbatches .....                            | 55 |
| 3.4   | ADDITIVE CATEGORIES FOR POLYPROPYLENE COMPOUNDS .....                   | 57 |
| 3.4.1 | Mineral Filled .....                                                    | 57 |
| 3.4.2 | Thermoplastic Olefinics (TPOs) and Thermoplastic Vulcanizates (TPVs)... | 57 |
| 3.4.3 | Glass Filled .....                                                      | 59 |
| 3.4.4 | Additive Concentrates or Masterbatches .....                            | 60 |
| 3.4.5 | Other Polypropylene Compounds .....                                     | 61 |
| 3.5   | TECHNOLOGY TRENDS IN COMPOUNDING .....                                  | 61 |
| 3.6   | ECONOMICS .....                                                         | 64 |
| 3.7   | END-USE MARKETS .....                                                   | 70 |
| 3.7.1 | Mineral Filled Polypropylene Compounds .....                            | 71 |
| 3.7.2 | TPOs .....                                                              | 72 |
| 3.7.3 | TPVs .....                                                              | 77 |
| 3.7.4 | Glass Reinforced Polypropylene Compounds .....                          | 81 |
| 3.7.5 | Other Polypropylene Compounds .....                                     | 82 |
| 3.7.6 | Illustrative Polypropylene Demand Patterns .....                        | 83 |
| 4     | Foaming Technology .....                                                | 85 |
| 4.1   | MUCELL® MICROCELLULAR TECHNOLOGY .....                                  | 85 |
| 4.1.1 | Technology .....                                                        | 85 |
| 4.1.2 | Advantages of MuCell .....                                              | 87 |
| 4.1.3 | Trends in MuCell® Technology .....                                      | 89 |
| 4.1.4 | End-use Markets .....                                                   | 89 |
| 4.2   | PROFOAM ARBURG TECHNOLOGY .....                                         | 90 |
| 4.3   | FOAMING PET TECHNOLOGIES .....                                          | 91 |

|       |                                                      |     |
|-------|------------------------------------------------------|-----|
| 4.3.1 | oPTI Technology .....                                | 91  |
| 4.3.2 | Fi-Cell Technology .....                             | 92  |
| 4.4   | MULLER FOAM BLOW MOLDING .....                       | 92  |
| 4.5   | POLYURETHANE FOAM.....                               | 94  |
| 4.5.1 | History and Background .....                         | 94  |
| 4.5.2 | Polyurethanes Production Additives .....             | 95  |
| 4.5.3 | Process Description .....                            | 99  |
| 4.5.4 | Polyurethanes Formulation .....                      | 101 |
| 4.5.5 | Polyurethane Production Economics .....              | 102 |
| 4.5.6 | Polyurethanes End-Use Applications.....              | 102 |
| 5     | Blown Film Extrusion.....                            | 105 |
| 5.1   | BACKGROUND.....                                      | 105 |
| 5.2   | PROCESS DESCRIPTION .....                            | 105 |
| 5.2.1 | Barrier Films .....                                  | 107 |
| 5.2.2 | Materials.....                                       | 108 |
| 5.2.3 | Process Advantages .....                             | 110 |
| 5.3   | TECHNOLOGY TRENDS .....                              | 110 |
| 5.3.1 | Nanolayer Blown Film .....                           | 111 |
| 5.4   | ECONOMICS .....                                      | 113 |
| 5.5   | END-USE MARKETS.....                                 | 117 |
| 5.5.1 | Packaging.....                                       | 117 |
| 5.5.2 | Laminating Film .....                                | 119 |
| 5.5.3 | Barrier Film .....                                   | 119 |
| 5.5.4 | Agricultural Film.....                               | 119 |
| 6     | Thermoforming .....                                  | 120 |
| 6.1   | BACKGROUND.....                                      | 120 |
| 6.2   | PROCESS DESCRIPTION .....                            | 121 |
| 6.2.1 | Vacuum Forming .....                                 | 122 |
| 6.2.2 | Drape Forming .....                                  | 124 |
| 6.2.3 | Pressure Forming.....                                | 125 |
| 6.3   | TECHNOLOGY TRENDS .....                              | 126 |
| 6.4   | ECONOMICS .....                                      | 127 |
| 6.5   | END-USE MARKETS.....                                 | 133 |
| 6.5.1 | Top Global Producers .....                           | 133 |
| 6.5.2 | Global Thermoform Consumption .....                  | 134 |
| 6.5.3 | Thermoforming End-Use Examples .....                 | 135 |
| 7     | Bi-axially Oriented Polypropylene Film .....         | 139 |
| 7.1   | BACKGROUND.....                                      | 139 |
| 7.2   | PROCESS DESCRIPTION .....                            | 139 |
| 7.2.1 | Tenter Process .....                                 | 139 |
| 7.2.2 | Tubular Bubble Process .....                         | 140 |
| 7.3   | TYPES OF BI-AXIALLY ORIENTED POLYPROPYLENE FILM..... | 142 |

|        |                                          |     |
|--------|------------------------------------------|-----|
| 7.4    | TECHNOLOGY TRENDS .....                  | 142 |
| 7.5    | ECONOMICS .....                          | 143 |
| 7.6    | END-USE MARKETS.....                     | 145 |
| 8      | Injection Molding .....                  | 148 |
| 8.1    | BACKGROUND.....                          | 148 |
| 8.2    | PROCESS DESCRIPTION .....                | 148 |
| 8.3    | TECHNOLOGY TRENDS .....                  | 152 |
| 8.3.1  | Fully Electric and Hybrid Machines ..... | 153 |
| 8.3.2  | Computerizing Injection Molds .....      | 154 |
| 8.3.3  | In-Mold Technology.....                  | 154 |
| 8.4    | ECONOMICS .....                          | 155 |
| 8.5    | END-USE MARKETS.....                     | 158 |
| 9      | Blow Molding .....                       | 160 |
| 9.1    | BACKGROUND.....                          | 160 |
| 9.2    | PROCESS DESCRIPTION .....                | 160 |
| 9.2.1  | Extrusion Blow Molding .....             | 160 |
| 9.2.2  | Injection Blow Molding.....              | 164 |
| 9.2.3  | Stretch Blow Molding.....                | 164 |
| 9.2.4  | Dip Blow Molding.....                    | 167 |
| 9.2.5  | Multiblock Blow Molding .....            | 168 |
| 9.2.6  | Compression Blow Forming (SACMI) .....   | 169 |
| 9.2.7  | Container Finishing .....                | 170 |
| 9.2.8  | Inland Packaging.....                    | 171 |
| 9.3    | TECHNOLOGY TRENDS .....                  | 172 |
| 9.4    | ECONOMICS .....                          | 174 |
| 9.6    | END-USE MARKETS.....                     | 178 |
| 9.6.1  | High-Density Polyethylene .....          | 179 |
| 9.6.2  | Polypropylene.....                       | 180 |
| 9.6.3  | Polyethylene Terephthalate .....         | 180 |
| 9.6.4  | Others.....                              | 180 |
| 9.6.5  | Top Global Producers .....               | 181 |
| 10     | Profile Extrusion .....                  | 183 |
| 10.1   | BACKGROUND.....                          | 183 |
| 10.2   | PROCESS DESCRIPTION .....                | 183 |
| 10.2.1 | Oriented PVC (PVC-O) Pipes .....         | 184 |
| 10.3   | TECHNOLOGY TRENDS .....                  | 189 |
| 10.4   | ECONOMICS .....                          | 190 |
| 10.5   | END-USE MARKETS.....                     | 193 |
| 11     | Fiber .....                              | 195 |
| 11.1   | BACKGROUND.....                          | 195 |
| 11.2   | POLYPROPYLENE FIBER .....                | 196 |
| 11.2.1 | Woven Bags .....                         | 196 |

|        |                                                        |     |
|--------|--------------------------------------------------------|-----|
| 11.3   | PET FIBER FROM CHIP .....                              | 206 |
| 11.3.1 | Background .....                                       | 206 |
| 11.3.2 | Process Description .....                              | 206 |
| 11.3.3 | Technology Trends.....                                 | 207 |
| 11.3.4 | Economics.....                                         | 208 |
| 11.3.5 | End-Use Markets.....                                   | 210 |
| 11.4   | FIBER MARKETS .....                                    | 212 |
| 12     | 3D Printing and Additive Manufacturing.....            | 213 |
| 12.1   | BACKGROUND.....                                        | 213 |
| 12.2   | PROCESS DESCRIPTION .....                              | 215 |
| 12.2.1 | Stereolithography (SL) .....                           | 215 |
| 12.2.2 | Digital Light Processing (DLP) .....                   | 216 |
| 12.2.3 | Selective Laser Sintering (SLS) .....                  | 216 |
| 12.2.4 | Extrusion or Fused Deposition Modelling (FDM) .....    | 217 |
| 12.2.5 | Inkjet.....                                            | 219 |
| 12.2.6 | Selective Deposition Lamination (SDL).....             | 222 |
| 12.2.7 | Electron Beam Melting (EBM).....                       | 223 |
| 12.2.8 | Urethane Casting .....                                 | 224 |
| 12.3   | TECHNOLOGY TRENDS .....                                | 225 |
| 12.3.1 | Printers and Printing Methods.....                     | 225 |
| 12.3.2 | Software Design and Print .....                        | 226 |
| 12.3.3 | Materials Used in Printing .....                       | 228 |
| 12.4   | MAJOR PLAYERS .....                                    | 230 |
| 12.4.1 | Stratasys .....                                        | 230 |
| 12.4.2 | 3D Systems.....                                        | 231 |
| 12.4.3 | EOS.....                                               | 231 |
| 12.4.4 | MIT's Computational Fabrication Group – MultiFab ..... | 231 |
| 12.5   | END-USE MARKETS.....                                   | 231 |
| 13     | Glossary .....                                         | 233 |

| Appendix |                                                                  | Page |
|----------|------------------------------------------------------------------|------|
| A        | Definitions of Capital Cost Terms Used in Process Economics..... | A-1  |
| B        | PERP Program Title Index (2006 - 2015) .....                     | B-1  |

| Figure                                                                   | Page |
|--------------------------------------------------------------------------|------|
| 1.1 Polypropylene Properties .....                                       | 5    |
| 1.2 Extending Polypropylenes .....                                       | 6    |
| 1.3 North America Polypropylene Sales, 2014 .....                        | 7    |
| 1.4 North American Polypropylene Compounds by End-Use Market, 2014 ..... | 7    |
| 1.5 Block Flow Diagram of a Typical Blown Film Operation .....           | 9    |
| 1.6 Global Blow Film Extrusion Demand, 2014.....                         | 11   |
| 1.7 Global BOPP Film Demand by End-Use, 2014.....                        | 14   |
| 1.8 North American Plastics Demand in Injection Molding, 2014 .....      | 16   |
| 1.9 Types of Blow Molding Processes .....                                | 17   |
| 1.10 Global Polyolefin Consumption in Blow Molding, 2014.....            | 18   |
| 1.11 Global Polyolefin Consumption in Blow Molding by Region, 2014 ..... | 19   |
| 1.12 North American Pipe and Conduit Segment by Material, 2014 .....     | 20   |
| 1.13 Global Fiber Production by Type, 2014.....                          | 21   |
| 1.14 Global Synthetic Fiber Production by Material, 2014 .....           | 21   |
| 1.15 Indirect Polyester Fiber Spinning .....                             | 23   |
| 1.16 Global PET Melt Phase Demand by End-Use, 2014 .....                 | 24   |
| 1.17 Schematic of 3D Printing Technology .....                           | 25   |
| 1.18 3D Printing Usage by Industry, 2013 .....                           | 26   |
| 2.1 Schematic of Banbury® Mixer.....                                     | 29   |
| 2.2 Cross Section of a Typical Single-Screw Extruder.....                | 30   |
| 2.3 Twin-Screw Geometry of a Co-Rotating System .....                    | 32   |
| 2.4 Thermoplastic Fabrication Value Chain .....                          | 33   |
| 3.1 Schematic of a Continuous Processor .....                            | 43   |
| 3.2 Plant for Compounding Filled Polypropylenes .....                    | 44   |
| 3.3 Coperion Highly Filled Compound Technology.....                      | 47   |
| 3.4 Coperion's ZSK Process Discharge Options .....                       | 48   |
| 3.5 Polypropylene Glass Coupled Compounds .....                          | 49   |
| 3.6 TPO Compounding Line.....                                            | 51   |
| 3.7 Thermoplastic Vulcanizate Production Schematic.....                  | 53   |
| 3.8 Polypropylene/Short Glass Fiber Compound Production Schematic .....  | 54   |
| 3.9 Polypropylene Masterbatch Production Schematic .....                 | 56   |
| 3.10 Phase Arrangements of Polymer/Elastomer Blends .....                | 58   |
| 3.11 Glass Reinforcement Manufacturing Process.....                      | 59   |
| 3.12 Reaction Process of Alkoxysilanes .....                             | 60   |
| 3.13 Coperion's Nanocomposite Compound Process .....                     | 63   |
| 3.14 Polypropylene Properties .....                                      | 70   |
| 3.15 Extending Polypropylene.....                                        | 71   |
| 3.16 Global Compounded TPO Demand by Region, 2014 .....                  | 73   |
| 3.17 Global Compounded TPVs Demand by Region, 2014 .....                 | 77   |
| 3.18 Global TPV Demand by End-Use, 2014 .....                            | 79   |

|      |                                                                                 |     |
|------|---------------------------------------------------------------------------------|-----|
| 3.19 | North American Polypropylene Demand by End-Use, 2014 .....                      | 83  |
| 3.20 | North American Polypropylene Compounds by End-Use Market, 2014 .....            | 84  |
| 4.1  | MuCell® Foaming Technology .....                                                | 86  |
| 4.2  | MuCell® Foaming .....                                                           | 86  |
| 4.3  | Areas of Potential Savings with MuCell .....                                    | 87  |
| 4.4  | Typical Cycle Time Reduction with MuCell .....                                  | 87  |
| 4.5  | MuCell® Dimensional Stability .....                                             | 88  |
| 4.6  | MuCell® Injection Molded Applications .....                                     | 90  |
| 4.7  | Muller Foam Blow Molding Technology .....                                       | 93  |
| 4.8  | Polyurethane Value Chain .....                                                  | 94  |
| 4.9  | Polyurethane Chemistry .....                                                    | 95  |
| 4.10 | Chemical Structure of Silicone Surfactant .....                                 | 98  |
| 4.11 | Polyurethane Manufacturing – Typical Layout Process Map .....                   | 99  |
| 4.12 | Flexible Molded Car Seat Production Line .....                                  | 104 |
| 5.1  | Block Flow Diagram of a Typical Blown Film Operation .....                      | 105 |
| 5.2  | Air-Cooled Blown Film Process .....                                             | 106 |
| 5.3  | Internal Bubble Cooling .....                                                   | 107 |
| 5.4  | Schematic of Seven-layer Blown Film Die Assembly .....                          | 107 |
| 5.5  | Example of 5-Layer Barrier Film .....                                           | 108 |
| 5.6  | Schematic of Dow's Micolayer Blown Film with 100+ Layers .....                  | 112 |
| 5.7  | Global Blow Film Extrusion Demand, 2014 .....                                   | 117 |
| 5.8  | North American Stretch Film Consumption by Production Method, 2014 .....        | 118 |
| 6.1  | Male versus Female Tool Types .....                                             | 121 |
| 6.2  | Fundamental Thermoforming Process Steps .....                                   | 122 |
| 6.3  | Example of a Semi-Automatic Thermoforming System .....                          | 123 |
| 6.4  | Vacuum Forming Process .....                                                    | 124 |
| 6.5  | Drape Thermoforming .....                                                       | 125 |
| 6.6  | Pressure Thermoforming .....                                                    | 126 |
| 6.7  | Thermoform Producers by Annual Thermoforming Sales in North America, 2014 ..... | 134 |
| 6.8  | Global Thermoform Consumption .....                                             | 135 |
| 6.9  | Air-Pressure Thermoforming Machine for PS Food Containers .....                 | 135 |
| 6.10 | Example of Mold for PS Food Containers .....                                    | 136 |
| 6.11 | Thermoforming Machine for Production of PS Yogurt Containers .....              | 136 |
| 6.12 | Examples of Molds for PS Yogurt Containers .....                                | 137 |
| 6.13 | Thermoformed Refrigerator Inner Containers and Door Liners .....                | 137 |
| 6.14 | Typical Thermoformed Products .....                                             | 138 |
| 7.1  | Tenter Process for Production of BOPP Film .....                                | 140 |
| 7.2  | Double Bubble Process for Production of BOPP Film .....                         | 141 |
| 7.3  | Global Capacity of Bi-axially Oriented Thermoplastic Film by Material .....     | 145 |
| 7.4  | BOPP End-Use Applications .....                                                 | 146 |
| 7.5  | BOPP Global Demand by End-Use Application, 2014 .....                           | 146 |
| 7.6  | Global BOPP Film Demand by Region, 2014 .....                                   | 147 |

|      |                                                                           |     |
|------|---------------------------------------------------------------------------|-----|
| 8.1  | Description of the Injection Molding Process .....                        | 149 |
| 8.2  | Typical Equipment for Injection Molding .....                             | 150 |
| 8.3  | Reciprocation Screw Injection Unit .....                                  | 151 |
| 8.4  | Toggle and Hydraulic Clamping Units .....                                 | 152 |
| 8.5  | Hydraulic versus Fully Electric Machine.....                              | 153 |
| 8.6  | North American Plastics Demand in Injection Molding, 2014 .....           | 159 |
| 9.1  | Types of Blow Molding Processes .....                                     | 160 |
| 9.2  | Basic Blow Molding Process Steps .....                                    | 160 |
| 9.3  | Extrusion Blow Molding .....                                              | 161 |
| 9.4  | Rotary Wheel Continuous Extrusion Blow Molding.....                       | 162 |
| 9.5  | Continuous Extrusion Blow Molding with Shuttle Mold .....                 | 162 |
| 9.6  | Intermittent Extrusion Blow Molding Reciprocating Screw System.....       | 163 |
| 9.7  | Intermittent Extrusion Blow Molding Accumulator Head System .....         | 163 |
| 9.8  | Injection Blow Molding.....                                               | 164 |
| 9.9  | Schematic of Stretch Blow Molding Process.....                            | 165 |
| 9.10 | Single-Stage Injection Stretch Blow Molding .....                         | 167 |
| 9.11 | Dip Blow Molding Process.....                                             | 168 |
| 9.12 | Multiblock Blow Molding Process.....                                      | 169 |
| 9.13 | Sacmi Compression Blow Forming Process.....                               | 169 |
| 9.14 | LiquiForm Blow Molding .....                                              | 173 |
| 9.15 | Global Polyolefin Consumption in Blow Molding, 2014.....                  | 179 |
| 9.16 | Global Polyolefin Consumption in Blow Molding by Region, 2014 .....       | 179 |
| 9.17 | Breakdown of Global Producers by Annual Blow Molding Sales, 2014.....     | 181 |
| 9.18 | Top 10 Global Blow Molding Producers by Market Share, 2014 .....          | 182 |
| 10.1 | Diagram of Profile Extrusion Line.....                                    | 183 |
| 10.2 | Equipment for PVC Pipe Profile Extrusion Line .....                       | 183 |
| 10.3 | PVC-O Orientation Procedure.....                                          | 186 |
| 10.4 | Mono Axial and Bi-Axial Orientation.....                                  | 186 |
| 10.5 | Key Features O-PVC versus Conventional PVC .....                          | 187 |
| 10.6 | Laminate Structure PVC-O versus Conventional PVC .....                    | 187 |
| 10.7 | Stress – Strain Behavior PVC-O .....                                      | 188 |
| 10.8 | PVC –O Pipe Diameter Comparison.....                                      | 188 |
| 10.9 | North American Pipe and Conduit Segment by Material, 2014 .....           | 194 |
| 11.1 | Classification of Types of Fiber .....                                    | 195 |
| 11.2 | The Woven Polypropylene Jumbo Bag Value Chain .....                       | 197 |
| 11.3 | Flow Diagram for Production of Polypropylene Woven Bags .....             | 198 |
| 11.4 | Schematic of Polypropylene Fiber Production .....                         | 199 |
| 11.5 | Equipment for Extrusion to Produce Polypropylene Flat Yarn.....           | 199 |
| 11.6 | Equipment for Weaving to Produce PP Fabric.....                           | 200 |
| 11.7 | Equipment for Laminating and Coating Polypropylene Fabric.....            | 200 |
| 11.8 | Equipment for Printing on Polypropylene Fabric.....                       | 201 |
| 11.9 | Equipment for Cutting and Sewing to Produce Polypropylene Woven Bag ..... | 201 |

|                                                                                          |     |
|------------------------------------------------------------------------------------------|-----|
| 11.10 Equipment for Pressing and Baling to Produce Bundled Polypropylene Woven Bags..... | 202 |
| 11.11 Global Polypropylene Fiber Demand by Region, 2014.....                             | 206 |
| 11.12 Indirect Polyester Fiber Spinning .....                                            | 207 |
| 11.13 Global PET Melt Phase Demand by End-Use, 2014 .....                                | 210 |
| 11.14 Global PET Fiber Demand by Region, 2014.....                                       | 211 |
| 11.15 Global Fiber Production by Type, 2014.....                                         | 212 |
| 11.16 Global Synthetic Fiber Production by Material, 2014 .....                          | 212 |
| 12.1 Schematic of 3D Printing Technology .....                                           | 213 |
| 12.2 Schematic of SL 3D Printing .....                                                   | 215 |
| 12.3 Schematic of DLP 3D Printing.....                                                   | 216 |
| 12.4 Schematic of SLS 3D Printing .....                                                  | 217 |
| 12.5 Schematic of EOS's Laser Sintering 3D Printing .....                                | 217 |
| 12.6 Schematic of FFF/FDM 3D Printing .....                                              | 218 |
| 12.7 Schematic of Binder Jetting 3D Printing.....                                        | 220 |
| 12.8 Schematic of Material Jetting 3D Printing .....                                     | 221 |
| 12.9 Schematic of Stratasys' PolyJet 3D Printing .....                                   | 221 |
| 12.10 Schematic of SDL 3D Printing.....                                                  | 222 |
| 12.11 Detailed Overview of SDL Process .....                                             | 223 |
| 12.12 Schematic of Arcam's EBM 3D Printing.....                                          | 224 |
| 12.13 Schematic of Types of 3D Printer Configurations .....                              | 226 |
| 12.14 3D Printing Software Project Lifecycle .....                                       | 227 |
| 12.15 Process for Generating a CAD Model from a Physical Object.....                     | 228 |
| 12.16 Traditional Materials Used in 3D Printing by Technology .....                      | 228 |
| 12.17 Stratasys FDM and PolyJet Technology Material Options.....                         | 230 |
| 12.18 3D Printing Usage by Industry, 2013 <sup>(1)</sup> .....                           | 232 |

| Table                                                                                                                     | Page |
|---------------------------------------------------------------------------------------------------------------------------|------|
| 1.1 Thermoplastic Processes and their Representative Materials .....                                                      | 1    |
| 1.2 Compounding Cost of Production Summary .....                                                                          | 5    |
| 1.3 Thermoforming Cost of Production Summary .....                                                                        | 12   |
| 1.4 Injection Molding Cost of Production Summary .....                                                                    | 15   |
| 1.5 Blow Molding Cost of Production Summary .....                                                                         | 18   |
| 1.6 Emerging End-Uses of 3D Printing .....                                                                                | 26   |
| 2.1 Thermoplastic Processes and their Representative Materials .....                                                      | 28   |
| 2.2 Key Compounding Technology Providers and Equipment Suppliers .....                                                    | 34   |
| 2.3 Key Foaming Technology Providers and Equipment Suppliers .....                                                        | 34   |
| 2.4 Key Blown Film Technology Providers and Equipment Suppliers .....                                                     | 34   |
| 2.5 Key Thermoforming Technology Providers and Equipment Suppliers .....                                                  | 35   |
| 2.6 Key Bi-axially Oriented Polypropylene Technology Providers and Equipment Suppliers .....                              | 35   |
| 2.7 Key Injection Molding Technology Providers and Equipment Suppliers .....                                              | 35   |
| 2.8 Key Blow Molding Technology Providers and Equipment Suppliers .....                                                   | 35   |
| 2.9 Key Profile Extrusion Technology Providers and Equipment Suppliers .....                                              | 36   |
| 2.10 Key Fiber Technology Providers and Equipment Suppliers .....                                                         | 36   |
| 2.11 Key 3D Printing Technology Providers and Equipment Suppliers .....                                                   | 36   |
| 2.12 Strategic/ Business Considerations for Compounding Polypropylene .....                                               | 37   |
| 2.13 Strategic/Business Considerations for Thermoplastic Fabrication .....                                                | 37   |
| 2.14 Strategic/ Business Considerations for 3D Printing and Additive Manufacturing .....                                  | 38   |
| 3.1 High RPM Twin-Screw Compounding Capabilities .....                                                                    | 46   |
| 3.2 Common Fillers Used in Polypropylene .....                                                                            | 57   |
| 3.3 Coperion's Recipe Components for Nanocomposite Compounds .....                                                        | 63   |
| 3.4 Cost of Production Estimate for: 35% Talc Filled Polypropylene<br>Process: Compounding, 70 mm Twin Screw, USGC .....  | 65   |
| 3.5 Cost of Production Estimate for: 35% Talc Filled Polypropylene<br>Process: Compounding, 92 mm Twin Screw, USGC .....  | 66   |
| 3.6 Cost of Production Estimate for: 35% Talc Filled Polypropylene<br>Process: Compounding, 133 mm Twin Screw, USGC ..... | 67   |
| 3.7 Cost of Production Estimate for: 35% Glass Filled Polypropylene<br>Process: Compounding, 92 mm Twin Screw, USGC ..... | 68   |
| 3.8 Cost of Production Estimate for: TPO (35% POE)<br>Process: Compounding, 92 mm Twin Screw, USGC .....                  | 69   |
| 3.9 Mineral Filled Polypropylene Applications .....                                                                       | 72   |
| 3.10 TPO Applications .....                                                                                               | 75   |
| 3.11 Major TPO Producers and Applications .....                                                                           | 76   |
| 3.12 Summary of TPV Applications .....                                                                                    | 80   |
| 3.13 Major TPV Producers and Applications .....                                                                           | 80   |
| 3.14 Intermaterial Summary .....                                                                                          | 81   |
| 3.15 Glass Filled Polypropylene Compound Applications .....                                                               | 82   |
| 3.16 Other Polypropylene Compound Applications .....                                                                      | 82   |

|     |                                                                                                                                                                     |     |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 4.1 | Structure Ranges of Silicone Surfactants for Polyurethanes Foam .....                                                                                               | 97  |
| 4.2 | Generic Polyurethane Foam, Slab Formulation, Part by Weight .....                                                                                                   | 101 |
| 4.3 | Combustion-modified High Resilience (HR) Foam Formulation, Parts by Weight.....                                                                                     | 101 |
| 4.4 | Cost of Production for: Flexible Molded Polyurethane Car Seat<br>Process: Reaction Injection Molding (RIM), USGC .....                                              | 103 |
| 5.1 | Effects of LDPE Physical Properties on its Mechanical Properties and Processing.....                                                                                | 109 |
| 5.2 | Polyolefin Film Extrusion Melt Index Ranges .....                                                                                                                   | 109 |
| 5.3 | Additives Used for Polyolefin Extrusion .....                                                                                                                       | 110 |
| 5.4 | Cost of Production Estimate for: Polyethylene Form Fill and Seal Blown Film<br>Process: Blown Film, One Layer, China .....                                          | 114 |
| 5.5 | Cost of Production Estimate for: Polyethylene Form Fill and Seal Blown Film<br>Process: Blown Film, Three Layer, USGC .....                                         | 115 |
| 5.6 | Cost of Production Estimate for: Oxygen Barrier Form Fill and Seal Blown Film<br>Process: Blown Film, Seven Layer, USGC .....                                       | 116 |
| 5.7 | General Product Specifications for Blown Film Used for Consumer Packaging.....                                                                                      | 119 |
| 6.1 | Key Factors in Thermoforming .....                                                                                                                                  | 120 |
| 6.2 | Principle Thermoforming Processes .....                                                                                                                             | 121 |
| 6.3 | Common Thermoforming Materials.....                                                                                                                                 | 122 |
| 6.4 | Cost of Production Estimate for: Refrigerator Liners and Doors<br>Process: Thermoforming, Three Layers of 7.5 % HIPS/85 % Regrind and ABS/7.5%<br>HIPS, USGC .....  | 128 |
| 6.5 | Cost of Production Estimate for: PS Yogurt Containers<br>Process: Extrusion and Thermoforming, China .....                                                          | 129 |
| 6.6 | Cost of Production Estimate for: PP Yogurt Containers<br>Process: Extrusion and Thermoforming, USGC .....                                                           | 130 |
| 6.7 | Cost of Production Estimate for: PET by TSL<br>Process: Thermoforming, Purchased Sheet, USGC.....                                                                   | 131 |
| 7.1 | Line Types for BOPP Equipment <sup>(46)</sup> .....                                                                                                                 | 142 |
| 7.2 | Cost of Production Estimate for: BOPP Film Process: Tenter .....                                                                                                    | 144 |
| 7.3 | Properties of BOPP Films .....                                                                                                                                      | 145 |
| 8.1 | All Electric and Hybrid Machine Features Comparison.....                                                                                                            | 154 |
| 8.2 | Energy Consumption Comparison .....                                                                                                                                 | 154 |
| 8.3 | Cost of Production Estimate for: Injection Molded PP Door Panels for a 4-Door Sedan<br>Process: Stacked Injection Molding of Left and Right Door Panels, USGC ..... | 156 |
| 8.4 | Cost of Production Estimate for: PS Utensils<br>Process: Injection Molding, China.....                                                                              | 156 |
| 9.1 | Single Stage verses Two Stage Injection Stretch Blow Molding.....                                                                                                   | 166 |
| 9.2 | Advantages of Compression Blow Forming .....                                                                                                                        | 170 |
| 9.3 | Polymer Characteristics Relevant For Blow Molding .....                                                                                                             | 172 |
| 9.4 | Cost of Production Estimate for: 15-500 ml HDPE Bottle<br>Process: Dual Sided, Extrusion Blow Molding, USGC.....                                                    | 175 |
| 9.5 | Cost of Production Estimate for: 60 ml HDPE Bottle<br>Process: Injection Blow Molding, China .....                                                                  | 176 |

|      |                                                                                                                                                                 |     |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 9.6  | Cost of Production Estimate for: 500 ml PET Water Bottles<br>Process: Preform Injection Molding Followed by Stretch Blow Molding, USGC .....                    | 177 |
| 10.1 | Cost of Production Estimate for: PVC Pipe<br>Process: Profile Extrusion, USGC .....                                                                             | 191 |
| 10.2 | Cost of Production Estimate for: Oriented PVC Pipe<br>Process: Profile Extrusion, USGC .....                                                                    | 192 |
| 11.1 | Physical Properties of Polypropylene Fibers.....                                                                                                                | 196 |
| 11.2 | Cost of Production Estimate for: PP Woven Bags (Holding Capacity of 50 kg)<br>Process: Extrusion, Weaving, Printing, Cutting, Sewing, Pressing, & Bailing ..... | 204 |
| 11.3 | Cost of Production Estimate for: Polyester Filament<br>Process: Melt Spinning, China .....                                                                      | 209 |
| 12.1 | Emerging End-Uses of 3D Printing .....                                                                                                                          | 214 |

# Nexant Thinking™

## Process Evaluation/Research Planning



The NexantThinking™ Process Evaluation/Research Planning (PERP) program is recognized globally as the industry standard source for information relevant to the chemical process and refining industries. PERP reports are available as a subscription program or on a single report basis.

### Contact Details:

**New York:** Marcos Nogueira Cesar, Vice President, Global Products, E&CA: Nexant Thinking™  
Phone: + 1-914-609-0324, e-mail: mcesar@nexant.com

**New York:** Heidi Junker Coleman, Global Programs Support Manager  
Phone: + 1-914-609-0381, e-mail: hcoleman@nexant.com

Nexant, Inc. ([www.nexant.com](http://www.nexant.com)) is a leading management consultancy to the global energy, chemical, and related industries. For over 38 years, Nexant has helped clients increase business value through assistance in all aspects of business strategy, including business intelligence, project feasibility and implementation, operational improvement, portfolio planning, and growth through M&A activities. Nexant has its main offices in San Francisco (California), White Plains (New York), and London (UK), and satellite offices worldwide.

Copyright © by Nexant Inc. 2015. All Rights Reserved.